

March 11, 2013


Mr. Jason Gunter
Remedial Project Manager
U.S. Environmental Protection Agency
Region 7 - Superfund Branch
11201 Renner Blvd.
Lenexa, KS 66219

Re: National Mine Tailings Site Progress Report

Dear Mr. Gunter:

As required by Article VI, Section 51 of the Unilateral Administrative Order (Docket No. CERCLA-07-2006-0231) for the referenced project and on behalf of The Doe Run Company and NL Industries, Inc., the progress report for the period February 1, 2013 through February 28, 2013 is enclosed. If you have any questions or comments, please call me at 573-638-5020 or Mark Nations at 573-518-0800.

Sincerely,



Ty L. Morris, P.E., R.G.
Vice President

TLM/jms
Enclosure

c: Mark Nations – TDRC
Matt Wohl – TDRC (electronic only)
Mark Yingling – TDRC (electronic only)
Kevin Lombardozzi – NL Industries, Inc.
John Kennedy – City of Park Hills
Norm Lucas – Park Hills – Leadington Chamber of Commerce
Kathy Rangen – MDNR
Tim Skoglund – Barr Engineering

07WH

40417193

4.2



Superfund

Du00

National Mine Tailings Site
Park Hills, Missouri
Removal Action - Monthly Progress Report
Period: February 1, 2013 – February 28, 2013

1. Actions Performed and Problems Encountered This Period:

- a. Work continued on the development of the Removal Action Report.

2. Analytical Data and Results Received This Period:

- a. During this period, water samples were collected at the sampling locations identified in Appendix C of the Removal Action Work Plan where water was present. Copies of the analytical results from the last sampling event are included with this progress report.
- b. During this period, the Ambient Air Monitoring Reports for Third Quarter 2012, October 2012, and November 2012 were completed. Any issues identified in these reports are discussed below. A copy of these documents has been sent to your attention.

The Third Quarter 2012 Ambient Air Monitoring Report noted the following:

- The action levels for lead and dust were not exceeded.
- No samples were taken with the National #3 (Water Plant) TSP monitor on 07/02/12 due to mechanical failure. Upon discovery, the issue was corrected.
- No samples were taken with the TSP monitors on 07/04/12 due to the holiday.
- No samples were taken with the National #1 (Ozark) TSP monitor on 08/23/12 due to mechanical failure. Upon discovery, the issue was corrected.
- No samples were taken with the TSP and PM₁₀ monitors on 09/03/12 due to the holiday.
- No samples were taken with the National #2 (Soccer Field) TSP monitor on 09/21/12 due to mechanical failure. Upon discovery, the issue was corrected.
- No samples were taken with the Big River #4 (Primary) PM₁₀ monitor on 09/21/12 due to mechanical failure. Upon discovery, the issue was corrected.

The October 2012 Ambient Air Monitoring Report noted the following:

- The action levels for lead and dust were not exceeded.
- No sample was taken with the Big River #4 (Primary) PM₁₀ monitor on 10/09/12 due to mechanical failure of the elapsed time indicator. Upon discovery, the issue was corrected.

The November 2012 Ambient Air Monitoring Report noted the following:

- The action levels for lead and dust were not exceeded.
- No sample was taken with the Big River #4 (Primary) TSP monitor on 11/02/12 due to the filter being compromised by moisture during a storm event. Upon discovery, the issue was corrected.
- The sample for Big River #4 (QA) PM₁₀ monitor was invalid on 11/05/12 due to the elapsed run time being outside of the tolerances. Upon identifying the issue, timer and sampling procedures were evaluated and the issue was corrected.
- No samples were taken with the TSP and PM₁₀ monitors on 11/21/12, 11/22/12, and 11/23/12 due to the holiday.
- A QA filter blank was completed on the Rivermines #3 (Water Treatment Plant) TSP and PM₁₀ monitors on 11/27/12.

3. Developments Anticipated and Work Scheduled for Next Period:

- a. Complete work in the Mine Shaft Area.
- b. Continue developing the Removal Action Report.
- c. Complete monthly water sampling activities as described in the Removal Action Work Plan.
- d. Complete air monitoring activities as described in the Removal Action Work Plan.

4. Changes in Personnel:

- a. None.

5. Issues or Problems Arising This Period:

- a. None.

6. Resolution of Issues or Problems Arising This Period:

- a. None.

End of Monthly Progress Report

February 20, 2013

Allison Olds
Barr Engineering Company
1001 Diamond Ridge
Suite 1100
Jefferson City, MO 65109
TEL: (573) 638-5007
FAX: (573) 638-5001



RE: National Tailings Pile-Design & Construction

WorkOrder: 13020611

Dear Allison Olds:

TEKLAB, INC received 2 samples on 2/13/2013 12:25:00 PM for the analysis presented in the following report.

Samples are analyzed on an as received basis unless otherwise requested and documented. The sample results contained in this report relate only to the requested analytes of interest as directed on the chain of custody. NELAP accredited fields of testing are indicated by the letters NELAP under the Certification column. Unless otherwise documented within this report, Teklab Inc. analyzes samples utilizing the most current methods in compliance with 40CFR. All tests are performed in the Collinsville, IL laboratory unless otherwise noted in the Case Narrative.

All quality control criteria applicable to the test methods employed for this project have been satisfactorily met and are in accordance with NELAP except where noted. The following report shall not be reproduced, except in full, without the written approval of Teklab, Inc.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,



Michael L. Austin
Project Manager
(618)344-1004 ex 16
MAustin@teklabinc.com

Client: Barr Engineering Company

Work Order: 13020611

Client Project: National Tailings Pile-Design & Construction

Report Date: 20-Feb-13

This reporting package includes the following:

Cover Letter	1
Report Contents	2
Definitions	3
Case Narrative	4
Laboratory Results	5
Sample Summary	7
Dates Report	8
Quality Control Results	9
Receiving Check List	15
Chain of Custody	Appended

Client: Barr Engineering Company

Work Order: 13020611

Client Project: National Tailings Pile-Design & Construction

Report Date: 20-Feb-13

Abbr Definition

- CCV Continuing calibration verification is a check of a standard to determine the state of calibration of an instrument between recalibration.
- DF Dilution factor is the dilution performed during analysis only and does not take into account any dilutions made during sample preparation. The reported result is final and includes all dilutions factors.
- DNI Did not ignite
- DUP Laboratory duplicate is an aliquot of a sample taken from the same container under laboratory conditions for independent processing and analysis independently of the original aliquot.
- ICV Initial calibration verification is a check of a standard to determine the state of calibration of an instrument before sample analysis is initiated.
- IDPH IL Dept. of Public Health
- LCS Laboratory control sample, spiked with verified known amounts of analytes, is analyzed exactly like a sample to establish intra-laboratory or analyst specific precision and bias or to assess the performance of all or a portion of the measurement system. The acceptable recovery range is in the QC Package (provided upon request).
- LCSD Laboratory control sample duplicate is a replicate laboratory control sample that is prepared and analyzed in order to determine the precision of the approved test method. The acceptable recovery range is listed in the QC Package (provided upon request).
- MB Method blank is a sample of a matrix similar to the batch of associated sample (when available) that is free from the analytes of interest and is processed simultaneously with and under the same conditions as samples through all steps of the analytical procedures, and in which no target analytes or interferences should present at concentrations that impact the analytical results for sample analyses.
- MDL Method detection limit means the minimum concentration of a substance that can be measured and reported with 99% confidence that the analyte concentration is greater than zero and is determined from analysis of a sample in a given matrix type containing the analyte.
- MS Matrix spike is an aliquot of matrix fortified (spiked) with known quantities of specific analytes that is subjected to the entire analytical procedures in order to determine the effect of the matrix on an approved test method's recovery system. The acceptable recovery range is listed in the QC Package (provided upon request).
- MSD Matrix spike duplicate means a replicate matrix spike that is prepared and analyzed in order to determine the precision of the approved test method. The acceptable recovery range is listed in the QC Package (provided upon request).
- MW Molecular weight
- ND Not Detected at the Reporting Limit
- NELAP NELAP Accredited
- PQL Practical quantitation limit means the lowest level that can be reliably achieved within specified limits of precision and accuracy during routine laboratory operation conditions. The acceptable recovery range is listed in the QC Package (provided upon request).
- RL The reporting limit the lowest level that the data is displayed in the final report. The reporting limit may vary according to customer request or sample dilution. The reporting limit may not be less than the MDL.
- RPD Relative percent difference is a calculated difference between two recoveries (ie. MS/MSD). The acceptable recovery limit is listed in the QC Package (provided upon request).
- SPK The spike is a known mass of target analyte added to a blank sample or sub-sample; used to determine recovery deficiency or for other quality control purposes.
- Surr Surrogates are compounds which are similar to the analytes of interest in chemical composition and behavior in the analytical process, but which are not normally found in environmental samples.
- TNTC Too numerous to count (> 200 CFU)

Qualifiers

- | | |
|--|---|
| # - Unknown hydrocarbon | B - Analyte detected in associated Method Blank |
| E - Value above quantitation range | H - Holding times exceeded |
| M - Manual Integration used to determine area response | ND - Not Detected at the Reporting Limit |
| R - RPD outside accepted recovery limits | S - Spike Recovery outside recovery limits |
| X - Value exceeds Maximum Contaminant Level | |



Case Narrative

<http://www.teklabinc.com/>

Client: Barr Engineering Company

Work Order: 13020611

Client Project: National Tailings Pile-Design & Construction

Report Date: 20-Feb-13

Cooler Receipt Temp: 0.2 °C

Locations and Accreditations

Collinsville		Springfield		Kansas City	
Address	5445 Horseshoe Lake Road Collinsville, IL 62234-7425	Address	3920 Pintail Dr Springfield, IL 62711-9415	Address	8421 Nieman Road Lenexa, KS 66214
Phone	(618) 344-1004	Phone	(217) 698-1004	Phone	(913) 541-1998
Fax	(618) 344-1005	Fax	(217) 698-1005	Fax	(913) 541-1998
Email	jhriley@teklabinc.com	Email	KKlostermann@teklabinc.com	Email	dthompson@teklabinc.com

State	Dept	Cert #	NELAP	Exp Date	Lab
Illinois	IEPA	100226	NELAP	1/31/2014	Collinsville
Kansas	KDHE	E-10374	NELAP	1/31/2014	Collinsville
Louisiana	LDEQ	166493	NELAP	6/30/2013	Collinsville
Louisiana	LDEQ	166578	NELAP	6/30/2013	Springfield
Texas	TCEQ	T104704515-12-1	NELAP	7/31/2013	Collinsville
Arkansas	ADEQ	88-0966		3/14/2013	Collinsville
Illinois	IDPH	17584		4/30/2013	Collinsville
Kentucky	UST	0073		5/26/2013	Collinsville
Missouri	MDNR	00930		4/13/2013	Collinsville
Oklahoma	ODEQ	9978		8/31/2013	Collinsville

Client: Barr Engineering Company
 Client Project: National Tailings Pile-Design & Construction
 Lab ID: 13020611-001
 Matrix: AQUEOUS

Work Order: 13020611
 Report Date: 20-Feb-13

Client Sample ID: Nat-East
 Collection Date: 02/12/2013 11:35

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 375.2 REV 2.0 1993 (TOTAL)								
Sulfate	NELAP	100		263	mg/L	10	02/14/2013 16:07	R173751
STANDARD METHOD 4500-H B, LABORATORY ANALYZED								
Lab pH	NELAP	1.00		8.14		1	02/14/2013 7:07	R173701
STANDARD METHODS 2340 C								
Hardness, as (CaCO ₃)	NELAP	5		440	mg/L	1	02/13/2013 15:00	R173667
STANDARD METHODS 2540 C (TOTAL)								
Total Dissolved Solids	NELAP	20		632	mg/L	1	02/17/2013 15:46	R173854
STANDARD METHODS 2540 D								
Total Suspended Solids	NELAP	6		< 6	mg/L	1	02/13/2013 20:03	R173699
STANDARD METHODS 2540 F								
Solids, Settleable	NELAP	0.2		< 0.2	ml/L	2	02/13/2013 19:00	R173675
STANDARD METHODS 5310 C, ORGANIC CARBON								
Total Organic Carbon (TOC)	NELAP	1.0		< 1.0	mg/L	1	02/18/2013 15:14	R173874
EPA 600 4.1.1, 200.7R4.4, METALS BY ICP (DISSOLVED)								
Cadmium	NELAP	2.00		< 2.00	µg/L	1	02/14/2013 20:53	85735
Zinc	NELAP	10.0		205	µg/L	1	02/14/2013 20:53	85735
EPA 600 4.1.4, 200.7R4.4, METALS BY ICP (TOTAL)								
Cadmium	NELAP	2.00		< 2.00	µg/L	1	02/15/2013 18:01	85729
Zinc	NELAP	10.0		234	µg/L	1	02/15/2013 18:01	85729
STANDARD METHODS 3030 E, 3113 B, METALS BY GFAA								
Lead	NELAP	2.00	X	6.66	µg/L	1	02/15/2013 9:47	85734
STANDARD METHODS 3030 B, 3113 B, METALS BY GFAA (DISSOLVED)								
Lead	NELAP	2.00	X	5.02	µg/L	1	02/15/2013 14:10	85761

Client: Barr Engineering Company

Work Order: 13020611

Client Project: National Tailings Pile-Design & Construction

Report Date: 20-Feb-13

Lab ID: 13020611-002

Client Sample ID: Nat-NW

Matrix: AQUEOUS

Collection Date: 02/12/2013 11:10

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 375.2 REV 2.0 1993 (TOTAL)								
Sulfate	NELAP	20	S	39	mg/L	2	02/18/2013 13:33	R173865
<i>Matrix interference present in sample.</i>								
STANDARD METHOD 4500-H B, LABORATORY ANALYZED								
Lab pH	NELAP	1.00		8.14		1	02/14/2013 7:09	R173701
STANDARD METHODS 2340 C								
Hardness, as (CaCO ₃)	NELAP	5		180	mg/L	1	02/13/2013 15:00	R173667
STANDARD METHODS 2540 C (TOTAL)								
Total Dissolved Solids	NELAP	20		148	mg/L	1	02/17/2013 15:47	R173854
STANDARD METHODS 2540 D								
Total Suspended Solids	NELAP	6		< 6	mg/L	1	02/13/2013 20:03	R173699
STANDARD METHODS 2540 F								
Solids, Settleable	NELAP	0.2		< 0.2	ml/L	2	02/13/2013 19:00	R173675
STANDARD METHODS 5310 C, ORGANIC CARBON								
Total Organic Carbon (TOC)	NELAP	1.0		< 1.0	mg/L	1	02/18/2013 15:21	R173874
EPA 600 4.1.1, 200.7R4.4, METALS BY ICP (DISSOLVED)								
Cadmium	NELAP	2.00		< 2.00	µg/L	1	02/14/2013 21:04	85735
Zinc	NELAP	10.0		< 10.0	µg/L	1	02/14/2013 21:04	85735
EPA 600 4.1.4, 200.7R4.4, METALS BY ICP (TOTAL)								
Cadmium	NELAP	2.00		< 2.00	µg/L	1	02/15/2013 18:20	85729
Zinc	NELAP	10.0		< 10.0	µg/L	1	02/15/2013 18:20	85729
STANDARD METHODS 3030 E, 3113 B, METALS BY GFAA								
Lead	NELAP	2.00	X	5.39	µg/L	1	02/15/2013 9:50	85734
STANDARD METHODS 3030 B, 3113 B, METALS BY GFAA (DISSOLVED)								
Lead	NELAP	2.00		< 2.00	µg/L	1	02/15/2013 14:14	85761



Sample Summary

<http://www.teklabinc.com/>

Client: Barr Engineering Company

Work Order: 13020611

Client Project: National Tailings Pile-Design & Construction

Report Date: 20-Feb-13

Lab Sample ID	Client Sample ID	Matrix	Fractions	Collection Date
13020611-001	Nat-East	Aqueous	5	02/12/2013 11:35
13020611-002	Nat-NW	Aqueous	5	02/12/2013 11:10

Dates Report

<http://www.teklabinc.com/>

Client: Barr Engineering Company

Work Order: 13020611

Client Project: National Tailings Pile-Design & Construction

Report Date: 20-Feb-13

Sample ID	Client Sample ID Test Name	Collection Date	Received Date	Prep Date/Time	Analysis Date/Time
13020611-001A	Nat-East	02/12/2013 11:35	02/13/2013 12:25		
	Standard Methods 2540 C (Total)				02/17/2013 15:46
	Standard Methods 2540 D				02/13/2013 20:03
	Standard Methods 2540 F				02/13/2013 19:00
13020611-001B	Nat-East	02/12/2013 11:35	02/13/2013 12:25		
	EPA 600 375.2 Rev 2.0 1993 (Total)				02/14/2013 16:07
	Standard Method 4500-H B, Laboratory Analyzed				02/14/2013 7:07
	Standard Methods 2340 C				02/13/2013 15:00
13020611-001C	Nat-East	02/12/2013 11:35	02/13/2013 12:25		
	EPA 600 4.1.4, 200.7R4.4, Metals by ICP (Total)			02/14/2013 8:47	02/15/2013 18:01
	Standard Methods 3030 E, 3113 B, Metals by GFAA			02/14/2013 10:05	02/15/2013 9:47
13020611-001D	Nat-East	02/12/2013 11:35	02/13/2013 12:25		
	EPA 600 4.1.1, 200.7R4.4, Metals by ICP (Dissolved)			02/14/2013 10:38	02/14/2013 20:53
	Standard Methods 3030 B, 3113 B, Metals by GFAA (Dissolved)			02/15/2013 8:02	02/15/2013 14:10
13020611-001E	Nat-East	02/12/2013 11:35	02/13/2013 12:25		
	Standard Methods 5310 C, Organic Carbon				02/18/2013 15:14
13020611-002A	Nat-NW	02/12/2013 11:10	02/13/2013 12:25		
	Standard Methods 2540 C (Total)				02/17/2013 15:47
	Standard Methods 2540 D				02/13/2013 20:03
	Standard Methods 2540 F				02/13/2013 19:00
13020611-002B	Nat-NW	02/12/2013 11:10	02/13/2013 12:25		
	EPA 600 375.2 Rev 2.0 1993 (Total)				02/18/2013 13:33
	Standard Method 4500-H B, Laboratory Analyzed				02/14/2013 7:09
	Standard Methods 2340 C				02/13/2013 15:00
13020611-002C	Nat-NW	02/12/2013 11:10	02/13/2013 12:25		
	EPA 600 4.1.4, 200.7R4.4, Metals by ICP (Total)			02/14/2013 8:47	02/15/2013 18:20
	Standard Methods 3030 E, 3113 B, Metals by GFAA			02/14/2013 10:05	02/15/2013 9:50
13020611-002D	Nat-NW	02/12/2013 11:10	02/13/2013 12:25		
	EPA 600 4.1.1, 200.7R4.4, Metals by ICP (Dissolved)			02/14/2013 10:38	02/14/2013 21:04
	Standard Methods 3030 B, 3113 B, Metals by GFAA (Dissolved)			02/15/2013 8:02	02/15/2013 14:14
13020611-002E	Nat-NW	02/12/2013 11:10	02/13/2013 12:25		
	Standard Methods 5310 C, Organic Carbon				02/18/2013 15:21

Quality Control Results

<http://www.teklabin.com/>
Client: Barr Engineering Company

Work Order: 13020611

Client Project: National Tailings Pile-Design & Construction

Report Date: 20-Feb-13

EPA 600 375.2 REV 2.0 1993 (TOTAL)

Batch R173751		SampType: MBLK		Units mg/L						
SampID: MBLK										Date
Analyses		RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Sulfate		10		< 10						02/14/2013

Batch R173751		SampType: LCS		Units mg/L						
SampID: LCS										Date
Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed	
Sulfate	10		22	20	0	109.0	90	110	02/14/2013	

Batch R173826		SampType: MBLK		Units mg/L						
SampID: MBLK										Date
Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed	
Sulfate	10		< 10						02/15/2013	

Batch R173826		SampType: LCS		Units mg/L							
SampID: LCS											Date
Analyses		RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed	
Sulfate		10		21	20	0	107.0	90	110	02/15/2013	

Batch R173865		SampType: MBLK		Units mg/L						
SampID: MBLK									Date	
Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed	
Sulfate	10		< 10						02/18/2013	

Batch R173865		SampType: LCS		Units mg/L							
SampID: LCS											Date
Analyses		RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed	
Sulfate		10		21	20	0	106.1	90	110	02/18/2013	

Batch R173865		SampType: MS		Units mg/L						
SampID: 13020611-002BMS										
Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed	
Sulfate	20	S	62	20	39.24	111.4	90	110	02/18/2013	

Batch R173865		SampType: MSD		Units mg/L				RPD Limit 10		
SampID: 13020611-002BMSD										Date
Analyses		RL	Qual	Result	Spike	SPK Ref Val	%REC	RPD Ref Val	%RPD	Analyzed
Sulfate		20		58	20	39.24	91.6	61.51	6.65	02/18/2013

Client: Barr Engineering Company

Work Order: 13020611

Client Project: National Tailings Pile-Design & Construction

Report Date: 20-Feb-13

STANDARD METHOD 4500-H B, LABORATORY ANALYZED

Batch R173701 SampType: LCS		Units								Date Analyzed
Analyses		RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	
Lab pH		1.00		7.03	7.00	0	100.4	99.1	100.8	02/14/2013

Batch R173701 SampType: DUP		Units						RPD Limit 10		Date Analyzed
Analyses		RL	Qual	Result	Spike	SPK Ref Val	%REC	RPD Ref Val	%RPD	
Lab pH		1.00		8.10				8.140	0.49	02/14/2013

Batch R173701 SampType: DUP		Units						RPD Limit 10		Date Analyzed
Analyses		RL	Qual	Result	Spike	SPK Ref Val	%REC	RPD Ref Val	%RPD	
Lab pH		1.00		8.10				8.140	0.49	02/14/2013

STANDARD METHODS 2340 C

Batch R173667 SampType: MBLK		Units mg/L								Date Analyzed
Analyses		RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	
Hardness, as (CaCO ₃)		5		< 5						02/13/2013

Batch R173667 SampType: LCS		Units mg/L								Date Analyzed
Analyses		RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	
Hardness, as (CaCO ₃)		5		1020	1000	0	102.0	90	110	02/13/2013

Batch R173667 SampType: MS		Units mg/L								Date Analyzed
Analyses		RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	
Hardness, as (CaCO ₃)		5		350	200	180.0	85.0	85	115	02/13/2013

Batch R173667 SampType: MSD		Units mg/L						RPD Limit 10		Date Analyzed
Analyses		RL	Qual	Result	Spike	SPK Ref Val	%REC	RPD Ref Val	%RPD	
Hardness, as (CaCO ₃)		5		350	200	180.0	85.0	350.0	0.00	02/13/2013

STANDARD METHODS 2540 C (TOTAL)

Batch R173854 SampType: MBLK		Units mg/L								Date Analyzed
Analyses		RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	
Total Dissolved Solids		20		< 20						02/17/2013
Total Dissolved Solids		20		< 20						02/17/2013
Total Dissolved Solids		20		< 20						02/17/2013

Client: Barr Engineering Company

Work Order: 13020611

Client Project: National Tailings Pile-Design & Construction

Report Date: 20-Feb-13

STANDARD METHODS 2540 C (TOTAL)

Batch R173854		SampType: LCS		Units mg/L						
SampID: LCS										Date Analyzed
Analyses		RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	
Total Dissolved Solids		20		972	1000	0	97.2	90	110	02/17/2013

Batch R173854		SampType: LCSQC		Units mg/L						Date Analyzed
SampID: LCSQC										
Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit		
Total Dissolved Solids	20		984	1000	0	98.4	90	110	02/17/2013	
Total Dissolved Solids	20		990	1000	0	99.0	90	110	02/17/2013	

Batch R173854		SampType: DUP		Units mg/L				RPD Limit 15		Date Analyzed
SampID: 13020611-001A DUP										
Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	RPD Ref Val	%RPD		
Total Dissolved Solids	20		630				632.0	0.32	02/17/2013	

STANDARD METHODS 2540 D

Batch R173699		SampType: MBLK		Units mg/L						Date Analyzed
SampID: MBLK										
Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit		
Total Suspended Solids	6		< 6						02/13/2013	

Batch R173699		SampType: LCS		Units mg/L						Date	
SampID: LCS											Analyzed
Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit			
Total Suspended Solids	6		97	100	0	97.0	85	115	02/13/2013		
Total Suspended Solids	6		107	100	0	107.0	85	115	02/13/2013		
Total Suspended Solids	6		93	100	0	93.0	85	115	02/13/2013		
Total Suspended Solids	6		95	100	0	95.0	85	115	02/13/2013		
Total Suspended Solids	6		98	100	0	98.0	85	115	02/13/2013		

Batch R173699		SampType: DUP		Units mg/L				RPD Limit 15			Date Analyzed
SampID: 13020611-001A DUP											
Analyses		RL	Qual	Result	Spike	SPK Ref Val	%REC	RPD Ref Val	%RPD		
Total Suspended Solids		6		< 6				0	0.00	02/13/2013	

STANDARD METHODS 5310 C, ORGANIC CARBON

Batch R173874		SampType: MBLK		Units mg/L						Date Analyzed
SampID: ICB/MBLK										
Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit		
Total Organic Carbon (TOC)	1.0		< 1.0						02/18/2013	

Work Order: 13020611

Report Date: 20-Feb-13

Client: Barr Engineering Company

Client Project: National Tailings Pile-Design & Construction

STANDARD METHODS 5310 C, ORGANIC CARBON

Batch R173874 SampType: LCS		Units mg/L								Date Analyzed
SampID: ICV/LCS										
Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit		
Total Organic Carbon (TOC)	10.0		62.4	59.7	0	104.6	90	110	02/18/2013	

Batch R173874 SampType: MS		Units mg/L								Date Analyzed
SampID: 13020611-002EMS										
Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit		
Total Organic Carbon (TOC)	1.0		5.7	5.0	0.9600	95.2	85	115	02/18/2013	

Batch R173874 SampType: MSD		Units mg/L								Date Analyzed
SampID: 13020611-002EMSD										
Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	RPD Ref Val	%RPD		
Total Organic Carbon (TOC)	1.0		5.8	5.0	0.9600	96.6	5.720	1.22	02/18/2013	

EPA 600 4.1.1, 200.7R4.4, METALS BY ICP (DISSOLVED)

Batch 85735 SampType: MBLK		Units µg/L								Date Analyzed
SampID: MB-85735										
Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit		
Cadmium	2.00		< 2.00	2.00	0	0	-100	100	02/14/2013	
Zinc	10.0		< 10.0	10.0	0	0	-100	100	02/14/2013	

Batch 85735 SampType: LCS		Units µg/L								Date Analyzed
SampID: LCS-85735										
Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit		
Cadmium	2.00		44.5	50.0	0	89.0	85	115	02/14/2013	
Zinc	10.0		448	500	0	89.5	85	115	02/14/2013	

Batch 85735 SampType: MS		Units µg/L								Date Analyzed
SampID: 13020611-001DMS										
Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit		
Cadmium	2.00		43.3	50.0	0	86.6	75	125	02/14/2013	
Zinc	10.0		633	500	204.8	85.7	75	125	02/14/2013	

Batch 85735 SampType: MSD		Units µg/L								Date Analyzed
SampID: 13020611-001DMSD										
Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	RPD Ref Val	%RPD		
Cadmium	2.00		43.7	50.0	0	87.4	43.3	0.92	02/14/2013	
Zinc	10.0		637	500	204.8	86.4	633.1	0.60	02/14/2013	

Client: Barr Engineering Company

Work Order: 13020611

Client Project: National Tailings Pile-Design & Construction

Report Date: 20-Feb-13

EPA 600 4.1.4, 200.7R4.4, METALS BY ICP (TOTAL)

Batch 85729		SampType: MBLK		Units µg/L						Date Analyzed
SampID: MB-85729										
Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit		
Cadmium	2.00		< 2.00	2.00	0	0	-100	100	02/15/2013	
Zinc	10.0		< 10.0	10.0	0	23.0	-100	100	02/15/2013	

Batch 85729		SampType: LCS		Units µg/L						Date Analyzed
SampID: LCS-85729										
Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit		
Cadmium	2.00		49.8	50.0	0	99.6	85	115	02/15/2013	
Zinc	10.0		498	500	0	99.6	85	115	02/15/2013	

Batch 85729		SampType: MS		Units µg/L						Date Analyzed
SampID: 13020611-001CMS										
Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit		
Cadmium	2.00		49.5	50.0	0	99.0	75	125	02/15/2013	
Zinc	10.0		722	500	233.9	97.7	75	125	02/15/2013	

Batch 85729		SampType: MSD		Units µg/L						Date Analyzed
SampID: 13020611-001CMSD						RPD Limit 20				
Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	RPD Ref Val	%RPD		
Cadmium	2.00		49.5	50.0	0	99.0	49.5	0.00	02/15/2013	
Zinc	10.0		721	500	233.9	97.3	722.3	0.24	02/15/2013	

STANDARD METHODS 3030 E, 3113 B, METALS BY GFAA

Batch 85734		SampType: MBLK		Units µg/L						Date Analyzed
SampID: MB-85734										
Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit		
Lead	2.00		< 2.00	2.00	0	0	-100	100	02/15/2013	

Batch 85734		SampType: LCS		Units µg/L						Date Analyzed
SampID: LCS-85734										
Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit		
Lead	2.00		16.4	15.0	0	109.3	85	115	02/15/2013	

Batch 85734		SampType: MS		Units µg/L						Date Analyzed
SampID: 13020611-002CMS										
Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit		
Lead	2.00		20.3	15.0	5.3856	99.7	70	130	02/15/2013	

Batch 85734		SampType: MSD		Units µg/L						Date Analyzed
SampID: 13020611-002CMSD						RPD Limit 20				
Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	RPD Ref Val	%RPD		
Lead	2.00		21.7	15.0	5.3856	108.8	20.3337	6.51	02/15/2013	

Client: Barr Engineering Company
 Client Project: National Tailings Pile-Design & Construction

Work Order: 13020611
 Report Date: 20-Feb-13

STANDARD METHODS 3030 B, 3113 B, METALS BY GFAA (DISSOLVED)

Batch 85761		SampType: MBLK		Units µg/L						Date Analyzed
SampID: MB-85761										
Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit		
Lead	2.00		< 2.00	2.00	0	0	-100	100	02/15/2013	

Batch 85761		SampType: LCS		Units µg/L						Date Analyzed
SampID: LCS-85761										
Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit		
Lead	2.00		14.9	15.0	0	99.4	85	115	02/15/2013	

Batch 85761		SampType: MS		Units µg/L						Date Analyzed
SampID: 13020611-002DMS										
Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit		
Lead	2.00		15.1	15.0	0	100.8	70	130	02/15/2013	

Batch 85761		SampType: MSD		Units µg/L				RPD Limit 20		
SampID: 13020611-002DMSD										Date Analyzed
Analyses		RL	Qual	Result	Spike	SPK Ref Val	%REC	RPD Ref Val	%RPD	
Lead		2.00		15.0	15.0	0	100.1	15.1214	0.70	02/15/2013



Receiving Check List

<http://www.teklabinc.com/>

Client: Barr Engineering Company

Work Order: 13020611

Client Project: National Tailings Pile-Design & Construction

Report Date: 20-Feb-13

Carrier: Rich Mannz

Received By: TB

Completed by:

On:

13-Feb-13

Emily E. Pohlman

Reviewed by:

On:

13-Feb-13

Michael L. Austin

Pages to follow: Chain of custody

1

Extra pages included

0

Shipping container/cooler in good condition?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>	Temp °C 0.2
Type of thermal preservation?	None <input type="checkbox"/>	Ice <input checked="" type="checkbox"/>	Blue Ice <input type="checkbox"/>	Dry Ice <input type="checkbox"/>
Chain of custody present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		
Chain of custody signed when relinquished and received?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		
Chain of custody agrees with sample labels?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		
Samples in proper container/bottle?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		
Sample containers intact?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		
Sufficient sample volume for indicated test?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		
All samples received within holding time?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		
Reported field parameters measured:	Field <input type="checkbox"/>	Lab <input checked="" type="checkbox"/>	NA <input type="checkbox"/>	
Container/Temp Blank temperature in compliance?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		

When thermal preservation is required, samples are compliant with a temperature between 0.1°C - 6.0°C, or when samples are received on ice the same day as collected.

Water - at least one vial per sample has zero headspace?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	No VOA vials <input checked="" type="checkbox"/>
Water - TOX containers have zero headspace?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	No TOX containers <input checked="" type="checkbox"/>
Water - pH acceptable upon receipt?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
NPDES/CWA TCN interferences checked/treated in the field?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	NA <input checked="" type="checkbox"/>

Any No responses must be detailed below or on the COC.

Custody seal(s) intact on shipping container/cooler.

